

WEST Search History for Application 10739354

Creation Date: 2010021811:35

(generat\$4)near5(first near4 seed)with(server)PGPB, USPT, EPAB, JPAB, DWPI,
TDBD OR YES 08-01-2008
(generat\$4)near5(second near4 seed)with(client)PGPB, USPT, EPAB, JPAB, DWPI,
TDBD OR YES 08-01-2008
((generat\$4)near5(first near4 seed)with(server)) and ((generat\$4)near5(second near4
seed)with(client))PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-01-2008
dynamic near4 seedPGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-01-2008
(dynamic near4 seed) and key near3 managerPGPB, USPT, EPAB, JPAB, DWPI,
TDBD OR YES 08-01-2008
(generat\$4)near5(first and second)with(seed)PGPB, USPT, EPAB, JPAB, DWPI,
TDBD OR YES 08-01-2008
((generat\$4)near5(first and second)with(seed)) and (first and second)with(key)PGPB, USPT,
EPAB, JPAB, DWPI, TDBD OR YES 08-01-2008
((generat\$4)near5(first and second)with(seed) and (first and second)with(key)) and dynamic
near4 seedPGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-01-2008
(generat\$4 or creat\$4)near5(first near4 random near3 number)with(server or host)PGPB,
USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-01-2008
((generat\$4 or creat\$4)near5(first near4 random near3 number)with(server or host)) and
(generat\$4 or creat\$4)near5(second near4 random near3 number)with(client)PGPB, USPT,
EPAB, JPAB, DWPI, TDBD OR YES 08-01-2008
(application near4 key)near4(derive)near5(seed)PGPB, USPT, EPAB, JPAB, DWPI,
TDBD OR YES 08-02-2008
(generat\$4 or creat\$4)near5(responsiv\$3 or after)with(authenticat\$3)near5(first near4 seed or
random near3 number)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-02-2008
((generat\$4 or creat\$4)near5(first near4 random near3 number)with(server or host)) and
(generat\$4 or creat\$4)near5(second near4 random near3 number)with(client)PGPB, USPT,
EPAB, JPAB, DWPI, TDBD OR YES 08-02-2008
(generat\$4 or creat\$4)near5(first near4 random near3 number)with(server or host)PGPB,
USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-02-2008
((generat\$4)near5(first and second)with(seed) and (first and second)with(key)) and dynamic
near4 seedPGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-02-2008
(new or updat\$4)with(application near4 key)PGPB, USPT, EPAB, JPAB, DWPI,
TDBD OR YES 08-02-2008
((new or updat\$4)with(application near4 key)) and dynamic near3 seedPGPB, USPT, EPAB,
JPAB, DWPI, TDBD OR YES 08-02-2008
(EAP or extensible near3 authentication near3 protocol) and ((new or
updat\$4)with(application near4 key))PGPB, USPT, EPAB, JPAB, DWPI,
TDBD OR YES 08-02-2008
380/268.ccls.PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-02-2008
713/171.ccls.PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-02-2008
713/182.ccls. and(first and second)with(application near3 key)PGPB, USPT, EPAB, JPAB,
DWPI, TDBD OR YES 08-02-2008
726/2.ccls.and (first and second)with(application near3 key)PGPB, USPT, EPAB, JPAB,
DWPI, TDBD OR YES 08-02-2008
380/277.ccls.and (first and second)with(application near3 key)PGPB, USPT, EPAB, JPAB,
DWPI, TDBD OR YES 08-02-2008

380/278.ccls.and (first and second)with(application near3 key)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-02-2008
 380/285.ccls.and (first and second)with(application near3 key)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-02-2008
 380/44.ccls.and (first and second)with(application near3 key)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-02-2008
 380/46.ccls.and (first and second)with(application near3 key)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-02-2008
 380/47.ccls.and (first and second)with(application near3 key)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-02-2008
 Chad near Fors.in.PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-02-2008
 Kashyap near Kamdar.in.PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-02-2008
 Rejesh near Pazhyannur.in.PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-02-2008
 Motorola.as. and (application near3 key and seed)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-02-2008
 (generat\$5 or creat\$5)near8(first near dynamic near seed)with(host or server)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
 (generat\$5 or creat\$5)near8(second near dynamic near seed)with(client or workstation or computer or pc)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
 (generat\$5 or creat\$5)near5(second near application near key)near5(independent\$5)with(client or workstation or computer or pc)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
 ((generat\$4)near5(first near4 seed)with(server)) and ((generat\$4)near5(second near4 seed)with(client))PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
 ((generat\$4 or creat\$4)near5(first near4 random near3 number)with(server or host)) and (generat\$4 or creat\$4)near5(second near4 random near3 number)with(client)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
 ((new or updat\$4)with(application near4 key)) and dynamic near3 seedPGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
 (EAP or extensible near3 authentication near3 protocol) and ((new or updat\$4)with(application near4 key))PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
 (generat\$4 or creat\$4)near5(responsiv\$3 or after)with(authenticat\$3)near5(first near4 seed or random near3 number)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
 380/268.ccls.PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
 713/171.ccls.PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
 713/182.ccls. and(first and second)with(application near3 key)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
 726/2.ccls.and (first and second)with(application near3 key)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
 380/277.ccls.and (first and second)with(application near3 key)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
 380/278.ccls.and (first and second)with(application near3 key)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
 380/285.ccls.and (first and second)with(application near3 key)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
 380/44.ccls.and (first and second)with(application near3 key)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
 380/46.ccls.and (first and second)with(application near3 key)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
 380/47.ccls.and (first and second)with(application near3 key)PGPB, USPT, EPAB, JPAB,

DWPI, TDBD OR YES 01-29-2009
 ((generat\$4)near5(first and second)with(seed) and (first and second)with(key)) and dynamic
 near4 seedPGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
 Chad near Fors.in.PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
 Kashyap near Kamdar.in.PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
 Rejesh near Pazhyannur.in.PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
 Motorola.as. and (application near3 key and seed)PGPB, USPT, EPAB, JPAB, DWPI,
 TDBD OR YES 01-29-2009
 layer near 2 near authentication and (seed near value or dynamic near seed)PGPB, USPT,
 EPAB, JPAB, DWPI, TDBD OR YES 07-08-2009
 (application near key) and (network near layer near authenticat\$6)PGPB, USPT, EPAB, JPAB,
 DWPI, TDBD OR YES 07-08-2009
 (application near key) and (dynamic near seed or seed near value)PGPB, USPT, EPAB, JPAB,
 DWPI, TDBD OR YES 07-08-2009
 ((application near key) and (dynamic near seed or seed near value)) and (EAP-SIM or
 EAP-AKA or EAP-TLS or extensible near authentication near protocol)PGPB, USPT, EPAB,
 JPAB, DWPI, TDBD OR YES 07-08-2009
 ((application near key) and (dynamic near seed or seed near value)) and (data near link near
 layer or extended near authenticat\$6 or XAUTH)PGPB, USPT, EPAB, JPAB, DWPI,
 TDBD OR YES 07-08-2009
 ((application near key) and (dynamic near seed or seed near value)) and (layer near 2 or
 layer near 3)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 07-08-2009
 (application near key\$2) and (dynamic near seed)PGPB, USPT, EPAB, JPAB, DWPI,
 TDBD OR YES 07-08-2009
 (first near application near key and second near application near key)PGPB, USPT, EPAB,
 JPAB, DWPI, TDBD OR YES 07-08-2009
 (lower near layer or layer near 2 or data near link near layer) and (dynamic near seed)PGPB,
 USPT, EPAB, JPAB, DWPI, TDBD OR YES 07-08-2009
 ((layer near 2)with(client) and (layer near 2)with(server)) and (@ad<20031201)PGPB, USPT,
 EPAB, JPAB, DWPI, TDBD OR YES 07-08-2009
 ((EAP and SIP) and (layer near 2 and layer near 3)) and (key\$2)PGPB, USPT, EPAB, JPAB,
 DWPI, TDBD OR YES 07-08-2009
 (application near key) and (key near manager)PGPB, USPT, EPAB, JPAB, DWPI,
 TDBD OR YES 07-08-2009
 380/268.ccls.PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 07-13-2009
 713/171.ccls.PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 07-13-2009
 (authenticat\$5)near(application\$2)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 ((authenticat\$5)near(application\$2)) and (dynamic near seed)PGPB, USPT, EPAB, JPAB,
 DWPI, TDBD OR 07-13-2009
 (dynamic near seed) and (application near key)PGPB, USPT, EPAB, JPAB, DWPI,
 TDBD OR 07-13-2009
 ((authenticat\$5)near(application\$2)) and (application near key)PGPB, USPT, EPAB, JPAB,
 DWPI, TDBD OR 07-13-2009
 ((authenticat\$5)near(application\$2) and (application near key)) and (server and client)PGPB,
 USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 ((authenticat\$5)near(application\$2) and (application near key) and (server and client)) and
 (random near number or seed)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 (dynamic near seed)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 (generat\$5 or creat\$5)near(seed or random near number)with(key\$2)PGPB, USPT, EPAB,
 JPAB, DWPI, TDBD OR 07-13-2009
 ((generat\$5 or creat\$5)near(seed or random near number)with(key\$2)) and

((authenticat\$5)near(application\$2))PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 ((generat\$5 or creat\$5)near(seed or random near number)with(key\$2) and
 (authenticat\$5)near(application\$2)) and (@ad<20031201)PGPB, USPT, EPAB, JPAB, DWPI,
 TDBD OR 07-13-2009
 (authenticat\$5)near(application)with(client)PGPB, USPT, EPAB, JPAB, DWPI,
 TDBD OR 07-13-2009
 ((authenticat\$5)near(application)with(client)) and
 (authenticat\$5)near(application)with(server)PGPB, USPT, EPAB, JPAB, DWPI,
 TDBD OR 07-13-2009
 ((authenticat\$5)near(application)with(client) and (authenticat\$5)near(application)with(server)
) and (seed or random near number)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 (Mutual near authenticat\$5)near(client and server)PGPB, USPT, EPAB, JPAB, DWPI,
 TDBD OR 07-13-2009
 (generat\$5 or creat\$5)near(key\$2)near(authenticat\$5)with(application or software)PGPB,
 USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 (application)with(level)near(authenticat\$5)PGPB, USPT, EPAB, JPAB, DWPI,
 TDBD OR 07-13-2009
 ((application)with(level)near(authenticat\$5)) and (@ad<20031201)PGPB, USPT, EPAB, JPAB,
 DWPI, TDBD OR 07-13-2009
 (dynamic near seed)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 ((dynamic near seed)) and (@ad<20031201)PGPB, USPT, EPAB, JPAB, DWPI,
 TDBD OR 07-13-2009
 (application adj keys)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 ((application adj keys)) and (layer near 2 and layer near 3)PGPB, USPT, EPAB, JPAB, DWPI,
 TDBD OR 07-13-2009
 ((application adj keys) and (layer near 2 and layer near 3)) and (@ad<20031201)PGPB, USPT,
 EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 ((application adj keys) and (layer near 2 and layer near 3)) and (client and server)PGPB,
 USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 (authenticat\$5)near(application\$2)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 ((authenticat\$5)near(application\$2)) and (dynamic near seed)PGPB, USPT, EPAB, JPAB,
 DWPI, TDBD OR 07-13-2009
 (dynamic near seed) and (application near key)PGPB, USPT, EPAB, JPAB, DWPI,
 TDBD OR 07-13-2009
 ((authenticat\$5)near(application\$2)) and (application near key)PGPB, USPT, EPAB, JPAB,
 DWPI, TDBD OR 07-13-2009
 ((authenticat\$5)near(application\$2) and (application near key)) and (server and client)PGPB,
 USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 ((authenticat\$5)near(application\$2) and (application near key) and (server and client)) and
 (random near number or seed)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 (dynamic near seed)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 (generat\$5 or creat\$5)near(seed or random near number)with(key\$2)PGPB, USPT, EPAB,
 JPAB, DWPI, TDBD OR 07-13-2009
 ((generat\$5 or creat\$5)near(seed or random near number)with(key\$2)) and
 ((authenticat\$5)near(application\$2))PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 ((generat\$5 or creat\$5)near(seed or random near number)with(key\$2) and
 (authenticat\$5)near(application\$2)) and (@ad<20031201)PGPB, USPT, EPAB, JPAB, DWPI,
 TDBD OR 07-13-2009
 (authenticat\$5)near(application)with(client)PGPB, USPT, EPAB, JPAB, DWPI,
 TDBD OR 07-13-2009
 ((authenticat\$5)near(application)with(client)) and

(authenticat\$5)near(application)with(server)PGPB, USPT, EPAB, JPAB, DWPI,
 TDBD OR 07-13-2009
 ((authenticat\$5)near(application)with(client) and (authenticat\$5)near(application)with(server)
) and (seed or random near number)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 (Mutual near authenticat\$5)near(client and server)PGPB, USPT, EPAB, JPAB, DWPI,
 TDBD OR 07-13-2009
 (generat\$5 or creat\$5)near(key\$2)near(authenticat\$5)with(application or software)PGPB,
 USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 (application)with(level)near(authenticat\$5)PGPB, USPT, EPAB, JPAB, DWPI,
 TDBD OR 07-13-2009
 ((application)with(level)near(authenticat\$5)) and (@ad<20031201)PGPB, USPT, EPAB, JPAB,
 DWPI, TDBD OR 07-13-2009
 (dynamic near seed)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 ((dynamic near seed)) and (@ad<20031201)PGPB, USPT, EPAB, JPAB, DWPI,
 TDBD OR 07-13-2009
 (application adj keys)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 ((application adj keys)) and (layer near 2 and layer near 3)PGPB, USPT, EPAB, JPAB, DWPI,
 TDBD OR 07-13-2009
 ((application adj keys) and (layer near 2 and layer near 3)) and (@ad<20031201)PGPB, USPT,
 EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 ((application adj keys) and (layer near 2 and layer near 3)) and (client and server)PGPB,
 USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 (destroy\$5 or delet\$5)with(key\$2)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 ((destroy\$5 or delet\$5)with(key\$2)) and (first near authenticat\$5 and second near
 authenticat\$5)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 (layer near 2 and layer near 3)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 ((layer near 2 and layer near 3)) and (key\$2)PGPB, USPT, EPAB, JPAB, DWPI,
 TDBD OR 07-13-2009
 ((layer near 2 and layer near 3) and (key\$2)) and (random near number or seed or dynamic
 near key or dynamic near seed)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 ((layer near 2 and layer near 3) and (key\$2) and (random near number or seed or dynamic
 near key or dynamic near seed)) and (client and server)PGPB, USPT, EPAB, JPAB, DWPI,
 TDBD OR 07-13-2009
 ((layer near 2 and layer near 3) and (key\$2) and (random near number or seed or dynamic
 near key or dynamic near seed) and (client and server)) and (@ad<20031201)PGPB, USPT,
 EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 (layer near 2)with(client) and (layer near 2)with(server)PGPB, USPT, EPAB, JPAB, DWPI,
 TDBD OR 07-13-2009
 ((layer near 2)with(client) and (layer near 2)with(server)) and (@ad<20031201)PGPB, USPT,
 EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 (EAP and SIP)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 ((EAP and SIP)) and (layer near 2 and layer near 3)PGPB, USPT, EPAB, JPAB, DWPI,
 TDBD OR 07-13-2009
 ((EAP and SIP) and (layer near 2 and layer near 3)) and (key\$2)PGPB, USPT, EPAB, JPAB,
 DWPI, TDBD OR 07-13-2009
 (application near key) and (key near manager)PGPB, USPT, EPAB, JPAB, DWPI,
 TDBD OR 07-13-2009
 (generat\$5 or creat\$5 or comput\$5 or calculat\$5)with(client or workstation or computer or
 laptop or pda or mobile near device or black near berry or cell near phone or wireless near
 device)near(seed or random near number)same(generat\$5 or creat\$5 or comput\$5 or
 calculat\$5)with(server or host)near(seed or random near number) and (@ad<"20031218"

@prad<"20031218" @rlad<"20031218")PGPB, USPT, EPAB, JPAB, DWPI,
 TDBD OR 07-13-2009
 (generat\$5 or creat\$5 or comput\$5 or calculat\$5)near(key\$2 or application near
 key)near(authenticat\$5)with(application or software or code or program)near(server or host)
 and (@ad<"20031218" @prad<"20031218" @rlad<"20031218")PGPB, USPT, EPAB, JPAB,
 DWPI, TDBD OR 07-13-2009
 (key\$2)near(deriv\$6 or comput\$5 or calculat\$5)with(seed or random near number)PGPB,
 USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 ((key\$2)near(deriv\$6 or comput\$5 or calculat\$5)with(seed or random near number)) and
 (authenticat\$5)with(application)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 ((key\$2)near(deriv\$6 or comput\$5 or calculat\$5)with(seed or random near number)) and
 (@ad<"20031218" @prad<"20031218" @rlad<"20031218")PGPB, USPT, EPAB, JPAB, DWPI,
 TDBD OR 07-13-2009
 (layer near 2 near authenticat\$5)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 ((layer near 2 near authenticat\$5)) and (@ad<"20031218" @prad<"20031218"
 @rlad<"20031218")PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 ((layer near 2 near authenticat\$5) and (@ad<"20031218" @prad<"20031218"
 @rlad<"20031218")) and (key\$2)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 Chad near Fors.in.PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 07-13-2009
 Kashyap near Kamdar.in.PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 07-13-2009
 Rejesh near Pazhyannur.in.PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 07-13-2009
 Motorola.as. and (application near key and seed)PGPB, USPT, EPAB, JPAB, DWPI,
 TDBD OR YES 07-13-2009
 380/262.ccls.and (key\$2)near(server or host) and (key\$2)near(client or workstation)PGPB,
 USPT, EPAB, JPAB, DWPI, TDBD OR YES 07-15-2009
 380/259.ccls.and (first near key and second near key)PGPB, USPT, EPAB, JPAB, DWPI,
 TDBD OR YES 07-15-2009
 380/277.ccls.and (first near key and second near key)PGPB, USPT, EPAB, JPAB, DWPI,
 TDBD OR YES 07-15-2009
 380/278.ccls.and (first near key and second near key)PGPB, USPT, EPAB, JPAB, DWPI,
 TDBD OR YES 07-15-2009
 380/262.ccls.PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 07-15-2009

Prior Art Searches

Query	DB	Op.	Plur.	Thes.	Date
(authenticat\$5)near(application\$2)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010
((authenticat\$5)near(application\$2)) and (dynamic near seed)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010

(dynamic near seed) and (application near key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010
((authenticat\$5)near(application\$2)) and (application near key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010
((authenticat\$5)near(application\$2) and (application near key)) and (server and client)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010
((authenticat\$5)near(application\$2) and (application near key) and (server and client)) and (random near number or seed)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010
(dynamic near seed)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010
(generat\$5 or creat\$5)near(seed or random near number)with(key\$2)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010
((generat\$5 or creat\$5)near(seed or random near number)with(key\$2)) and ((authenticat\$5)near(application\$2))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010
((generat\$5 or creat\$5)near(seed or random near number)with(key\$2) and (authenticat\$5)near(application\$2)) and (@ad<20031201)	PGPB, USPT, EPAB, JPAB,	OR	YES		02-18-2010

	DWPI, TDBD				
(authenticat\$5)near(application)with(client)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010
((authenticat\$5)near(application)with(client)) and (authenticat\$5)near(application)with(server)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010
((authenticat\$5)near(application)with(client) and (authenticat\$5)near(application)with(server)) and (seed or random near number)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010
(Mutual near authenticat\$5)near(client and server)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010
(generat\$5 or creat\$5)near(key\$2)near(authenticat\$5)with(application or software)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010
(application)with(level)near(authenticat\$5)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010
((application)with(level)near(authenticat\$5)) and (@ad<20031201)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010
(dynamic near seed)		OR	YES		02-18-2010

	PGPB, USPT, EPAB, JPAB, DWPI, TDBD				
((dynamic near seed)) and (@ad<20031201)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010
(application adj keys)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010
((application adj keys)) and (layer near 2 and layer near 3)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010
((application adj keys) and (layer near 2 and layer near 3)) and (@ad<20031201)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010
((application adj keys) and (layer near 2 and layer near 3)) and (client and server)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010
((authenticat\$5)near(application\$2) and (application near key) and (server and client)) and (random near number or seed)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010
((generat\$5 or creat\$5)near(seed or random near number)with(key\$2)) and ((authenticat\$5)near(application\$2))	PGPB, USPT, EPAB, JPAB,	OR	YES		02-18-2010

	DWPI, TDBD				
((generat\$5 or creat\$5)near(seed or random near number)with(key\$2) and (authenticat\$5)near(application\$2)) and (@ad<20031201)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010
((authenticat\$5)near(application)with(client)) and (authenticat\$5)near(application)with(server)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010
((authenticat\$5)near(application)with(client) and (authenticat\$5)near(application)with(server)) and (seed or random near number)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010
(generat\$5 or creat\$5)near(key\$2)near(authenticat\$5)with(application or software)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010
(application)with(level)near(authenticat\$5)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010
((dynamic near seed)) and (@ad<20031201)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010
((application adj keys)) and (layer near 2 and layer near 3)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010
		OR	YES		02-18-2010

((application adj keys) and (layer near 2 and layer near 3)) and (client and server)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD				
(EAP and SIP)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010
((EAP and SIP)) and (layer near 2 and layer near 3)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010
380/268.ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010
713/171.ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010
Chad near Fors.in.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010
Kashyap near Kamdar.in.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010
Rejesh near Pazhyannur.in.	PGPB, USPT, EPAB, JPAB,	OR	YES		02-18-2010

	DWPI, TDBD				
Motorola.as. and (application near3 key and seed)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010